

STP® HEAVY DUTY CONVENTIONAL PRE-CHARGE ANTIFREEZE/COOLANT

Anti-Consumption Additive Contains BITTER-AID™

KOST® USA, Inc. recommends to always properly dispose of spent coolant. Contact your state or local municipality for instructions on proper disposal to protect our environment. If a coolant spill occurs, call local authorities and ask for proper instruction on how to clean up the spill.

TECHNICAL DATA

Since 1954, STP® has been the premier American brand name for automotive additives, lubricants and performance products in the USA. STP® Heavy Duty Conventional Pre-Charge Antifreeze/Coolant is a conventional formulation that meets or exceeds ASTM requirements. This superior quality, ethylene glycol-based engine coolant is phosphate-free and low in silicates. It protects all cooling system metals including aluminum, as well as rubber hoses, gaskets and plastics. The product is specially formulated with industry-leading additives to provide optimum performance in heavy duty vehicles requiring supplemental coolant additives (SCAs).

Performance, Features & Benefits:	• Protects against winter freezing and summer boil over • Prevents pitting caused by cavitation and corrosion of brass, copper, solder, steel, cast iron and aluminum • No initial SCA pre-charge required • Phosphate-free, low silicate formula • Compatible with most major brands of conventional coolants, with and without the addition of SCAs
Package Size Offerings	Concentrate 3x1 Case Part #11093 Concentrate Drum Part #10230 Concentrate Tote Part #11215 Ready-To-Use 3x1 Case Part #11094 Ready-To-Use Drum Part #10245 Ready-To-Use Tote Part #10235
Aluminum Compatibility	Yes
Contains Bitterant	Yes
Base Fluid	100% Virgin Ethylene Glycol
pH, 50% Volume Solution	10.2-10.8
Product Color	Fuchsia
Specifications, Approvals & Recommendations*†	ASTM D3306, ASTM D6210, SAE J1941, TMC RP329. **For a full list of performance specifications, visit www.stpcoolant.com. †Meets most performance requirements but may or may not meet certain chemical requirements.*

All reasonable care has been taken to ensure that the information herein is accurate as of the date of printing. The test results listed are typical properties only. Formula and blending changes may result in slight color and appearance changes.

STPHDPDS03012016